Technical Data Sheet

Model: AB-206

Description: Solar powered ventilation fan; remote mounted PV panel; wall mount housing;

natural finish


Revision: 1


Date: 24-Apr-10 **DCN:** TDS-1010

Top View


∅ 14" 20"


∅ 15 ½"






18"







Model AB-206 Specifications

Material of Construction

Fan Housing: 24 GA Zincalume (ASTM A792 - 55% Aluminum-Zinc Alloy Coated by Hot-Dip Process)

Rodent Screen: 1/4" Mesh Stainless Steel Screen with 2" Static Louvers

Fan Blade: Proprietary 14" 5-Wing Aluminum Blade with Integrated Balanced Hub PV Panel: Anodized Aluminum Frame with Impact Resistant Tempered Glass

Finish: Natural Zincalume

Hardware: Stainless Steel Brackets & Fasteners

Electrical

Motor: Proprietary 38 V variable speed DC motor
PV Panel: Proprietary 20 W monocrystalline panel, 36 cells

Internal Wiring: 18 AWG

Remote Cable: SJEOOW (or equivalent) UV/Weather Resistant Cable; 15' x 18AWGX2C

Termination: UV/Weather Resistant Quick Disconnect Plugs

<u>Performance</u>

Air Movement: 1350 CFM @ 0.0 inH2O Noise Level: < 1 sones (< 30 dB)

Wind Rating: N/A

Weight Load

Fan Unit: 20 LBS Remote Panel: 6 LBS

