




For Low Pressure Steam Service

NOTE: When used for Steam Service, BE SURE to use pigtail to prevent live steam from damaging No. N36-M1.

Maximum Steam Pressure: 15 psi (103.4 kPa).
Maximum Temperature: 250°F (121°C).




LIMITED WARRANTY: Watts Regulator Company warrants each product against defects in material and workmanship for a period of one year from the date of original shipment. In the event of such defects within the warranty period, the Company will, at its option, replace or recondition the product without charge. This shall constitute the exclusive remedy for breach of warranty, and the Company shall not be responsible for any incidental or consequential damages, including without limitation, damages or other costs resulting from labor charges, delays, vandalism, negligence, fouling caused by foreign material, damage from adverse water conditions, chemicals, or any other circumstances over which the Company has no control. This warranty shall be invalidated by any abuse, misuse, misapplication or improper installation of the product. THE COMPANY MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED EXCEPT AS PROVIDED IN THIS LIMITED WARRANTY.

No. N36-M1 Installation Instructions for Water Service

Install No. N36-M1 in cold water supply line with or above the highest point in the tank.

No. N36-M1 must be installed vertically in an upright position as shown. No valve is to be placed between the relief valve and the tank. Illustrations show typical and correct positions. Valve opens on vacuum of not over 1/2" mercury column. Maximum working pressure: 200 psi (13.8 bars). (Maximum steam working pressure: 15 psi or 103.4 kPa.) Maximum temperature: 250°F (121°C).



CAUTION: Not Suitable for Cross-Connection Control.

CALIFORNIA PROPOSITION 65 WARNING




WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. (Installer: California law requires that this warning be given to the consumer.)

For more information: www.wattsind.com/prop65

For Low Pressure Steam Service

NOTE: When used for Steam Service, BE SURE to use pigtail to prevent live steam from damaging No. N36-M1.

Maximum Steam Pressure: 15 psi (103.4 kPa).
Maximum Temperature: 250°F (121°C).




LIMITED WARRANTY: Watts Regulator Company warrants each product against defects in material and workmanship for a period of one year from the date of original shipment. In the event of such defects within the warranty period, the Company will, at its option, replace or recondition the product without charge. This shall constitute the exclusive remedy for breach of warranty, and the Company shall not be responsible for any incidental or consequential damages, including without limitation, damages or other costs resulting from labor charges, delays, vandalism, negligence, fouling caused by foreign material, damage from adverse water conditions, chemicals, or any other circumstances over which the Company has no control. This warranty shall be invalidated by any abuse, misuse, misapplication or improper installation of the product. THE COMPANY MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED EXCEPT AS PROVIDED IN THIS LIMITED WARRANTY.

No. N36-M1 Installation Instructions for Water Service

Install No. N36-M1 in cold water supply line with or above the highest point in the tank.

No. N36-M1 must be installed vertically in an upright position as shown. No valve is to be placed between the relief valve and the tank. Illustrations show typical and correct positions. Valve opens on vacuum of not over 1/2" mercury column. Maximum working pressure: 200 psi (13.8 bars). (Maximum steam working pressure: 15 psi or 103.4 kPa.) Maximum temperature: 250°F (121°C).



CAUTION: Not Suitable for Cross-Connection Control.

CALIFORNIA PROPOSITION 65 WARNING
WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. (Installer: California law requires that this warning be given to the consumer.)
For more information: www.wattsind.com/prop65



USA: 815 Chestnut St., No. Andover, MA 01845-6098; www.wattsreg.com
Canada: 5435 North Service Rd., Burlington, ONT, L7L 5H7; www.wattsca.com

